

# Report Card for Mooney Mooney Creek Water Source

Water Source Context	River Flows
<p><b>Area:</b> 135 km<sup>2</sup>  <b>Average Annual Rainfall</b> 1052 mm  <b>Inflowing water source:</b> Nil  <b>Receiving water source:</b> Nil</p>	<p><b>Low flow Index:</b> (80<sup>th</sup>ile in December of days with flow) = 3.3 ML/day  <b>Flow records:</b> 24/10/1970 to 30/09/1981 (11 yrs). This estimate is based on flow measured in Mangrove Creek at Mangrove Mountain (Fairview). 98 years of measured and modelled flows for Ourimbah Creek at Tuggerah was used to adjust for longer term climate as well as an area adjustment.</p>

## Licensed Water use

- **Total surface water entitlement: 19 964 ML/year** (9.9% used for irrigation purposes, 0.1% used for industrial purposes, 90% used for town water supply purposes)
- **71 surface water licenses - Peak Daily Demand=41.2 ML/day**
- **27.5 % of total Gosford Extraction Management Unit entitlement**

## Proposed Management Rules for Mooney Mooney Creek Water Source

Draft Access Rules	
<b>Cease to Pump (CtP)</b>	Cease to pump is when there is either no visible inflow to, or outflow from, the pumping pool.
<b>Reference Point</b>	Riffles upstream and downstream of pump
Draft Trading Rules	
<b>INTO water source</b>	Not permitted
<b>WITHIN water source</b>	Permitted, except into the plateau management zone.
<b>Conversion to High Flow Access Licence</b>	Not permitted

## Proposed Management Rules for Tuggerah Lakes Water Source

### Background information

Water Source attributes	Rating	Justification
<b>Relative Instream Value (within catchment)</b>	<b>High</b>	<ul style="list-style-type: none"> <li>• 6 threatened amphibian species</li> <li>• 1 threatened herbs and forbs species</li> <li>• 3 threatened bird species</li> <li>• high species diversity</li> </ul>
<b>Hydrological Stress</b>	<b>High</b>	<ul style="list-style-type: none"> <li>• peak extraction demand exceeds available flows in December</li> </ul>
<b>Relative Economic Significance of Irrigation (within catchment)</b>	<b>High</b>	<ul style="list-style-type: none"> <li>• high economic dependence of the local community on water extracted for irrigation</li> </ul>
<b>Risk to Instream Value (from extraction)</b>	<b>Medium</b>	<ul style="list-style-type: none"> <li>• instream values are at moderate risk of being impacted by extractions within the water source</li> </ul>

Existing Access Arrangements During Dry Conditions	
Water User Association (WUA)	No
Licensed Cease to Pump (CtP)	A small number of licences have a cease to pump at visible flow.

## Regional Panel review of initial classification and draft rules

### Classification

- Gaining stream type
- The regional panel revised the instream value from medium to high in recognition of the number of threatened species and other fauna species and in the intact nature of the catchment.

### Rules

- Trading rules identified by the classification process (no trades into or upstream of the water source) were adopted by the Regional Panel.
- Access rules identified by the classification process (visible flow at the end of the water source) were not adopted by the Regional Panel due to difficulty in accessing the end of system and a lack of infrastructure. A visible inflow/outflow to pumping pool was proposed instead.

### Matters raised during targeted consultation

No changes to the rules were proposed by water users or interest groups during the targeted consultation period. Note the targeted consultation period did primarily focus on the Wyong River water source.

### Aboriginal Cultural Values

- The initial consultation with local Aboriginal communities indicate that they consider healthy rivers with natural flows and good biodiversity as being important. Further feedback is being sought from Aboriginal communities about values in their area.

Information on privacy and confidentiality
<p>Submissions received will be used by the Department when it considers amending the Plan. The Department values your input into the water sharing plan process and appreciates that information that you provide may be of a private and personal nature.</p> <p>If you wish your submission, any part of your submission, or your personal details to be treated as confidential for any reason then you can request this. Please indicate your preference at the time of making your submission. Please be aware that if you do not make a request for confidentiality, then the Department may make your submission, including any personal details contained in the submission, available to the public. Please see the “Community consultation” page on the Department's website for further information.</p>

**For more information** about the macro planning process for the Central Coast Unregulated Water Sources refer to the "Central Coast Unregulated Water Sources - Background Document" on the Departments website:

[www.dwe.nsw.gov.au](http://www.dwe.nsw.gov.au)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

DWE 08\_221